St. Joe River Subbasin Assessment and Total Maximum Daily Loads





July 2003

St. Joe River Subbasin Assessment and Total Maximum Daily Loads

July 2003

Prepared by:
Geoffrey W. Harvey and Shantel L. Aparicio
Coeur d'Alene Regional Office
Department of Environmental Quality
2110 Ironwood Parkway
Coeur d'Alene, ID 83814

Acknowledgments

Glen Pettit of the Department of Environmental Quality (DEQ) and Adnan Zahoor of the Department of Lands provided GIS support for the sediment modeling and map development. Bijay Adams of DEQ developed data and model input values. Jennifer Burton of DEQ developed tabular data. Jennifer Burton and Amy Luft of DEQ performed editorial review.

Cover picture by Bijay Adams.

Table of Contents

Acknowledgments	
Table of Contents	
List of Tables	
List of Figures	
List of Appendices	
Abbreviations, Acronyms, and Symbols	
Executive Summary	
Subbasin at a Glance	
Key Findings	
1. Subbasin Assessment – Watershed Characterization	
1.1 Introduction	
Background	
Idaho's Role	
1.2 Physical and Biological Characteristics	3
Climate	
Subbasin Characteristics	6
Subwatershed Characteristics	8
Stream Characteristics	10
1.3 Cultural Characteristics	10
Land Use	10
Land Ownership, Cultural Features, and Population	
History and Economics	
2. Subbasin Assessment – Water Quality Concerns and Status	
2.1 Water Quality Limited Segments Occurring in the Subbasin	
2.2 Applicable Water Quality Standards	
2.3 Summary and Analysis of Existing Water Quality Data	
Discharge Characteristics	
Water Quality Data	
Biological and Other Data	
Status of Beneficial Uses	
Conclusions	
2.4 Data Gaps	
3. Subbasin Assessment – Pollutant Source Inventory	47
3.1 Sources of Pollutants of Concern	47
Point Sources	
Nonpoint Sources	
Pollutant Transport	
3.2 Data Gaps	
Point Sources	
Nonpoint Sources	
4. Subbasin Assessment – Summary of Past and Present Pollution Control Efforts	
5. Total Maximum Daily Load(s)	
5.1 Fishhook Creek Sediment TMDL	
In-stream Water Quality Targets	

Load capacity	54
Estimates of Existing Pollutant Loads	
Pollutant Load Allocation	56
Conclusions	58
5.2 Bear, Little Bear and Mica Creeks Sediment TMDLs	58
In-stream Water Quality Targets	
Load capacity	
Estimates of Existing Pollutant Loads	
Pollutant Load Allocation	
Conclusions	64
5.3 Lower St. Joe Segments Temperature TMDL	64
In-stream Water Quality Targets	
Load capacity	
Estimates of Existing Pollutant Loads	
Pollutant Load Allocation	70
Conclusions	
5.4 Upper St. Joe River Segments Temperature TMDL	89
In-stream Water Quality Targets	
Load capacity	
Estimates of Existing Pollutant Loads	
Pollutant Load Allocation	
Conclusions	132
5.5 Implementation Strategies	
Time Frame	
Approach	133
Responsible Parties	
Monitoring Strategy	134
5.6 Conclusion	
References Cited	137
Glossary	141

List of Tables

Table A. Streams and pollutants for which TMDLs were developed	XV
Table B. Summary of assessment outcomesx	vi
Table 1. Watershed characteristics of the fifth order watersheds of the St. Joe River subbasin	9
Table 2. 303(d) segments in the St. Joe River subbasin	16
Table 3. St. Maries River subbasin designated beneficial uses	18
Table 4. St. Joe River subbasin beneficial uses of impaired streams without standard designated uses	18
Table 5. Water quality standards supportive of beneficial uses (IDAPA58.01.02.250)	19
Table 6. Water quality of the St. Joe River at the Calder gaging station	22
Table 7. Select water quality data from the St. Maries gage (12415075)	22
Table 8. Dissolved oxygen and percent saturation measured in Blackjack, Harvey and Tank Creeks	23
Table 9. Plant growth nutrient concentrations at two locations on Gold Creek	23
Table 10. Percentage of standards exceedence from federal and state bull trout and spawning standards during the period for which the standard applies	25
Table 11. Escherichia coli (colonies per 100 mL) presence measurements during summer 2000	26
Table 12. Stream macroinvertebrate, fish and habitat indices data of the St. Joe River subbasin2	27
Table 13. Fish population per unit stream area of the water quality limited segments of the St. Joe River subbasin	30
Table 14. Residual pool volume of the water quality limited segments of the St. Joe River subbasin	33
Table 15. Residual pool volume of the additional stream segments	3 3

Table 16. Land use of watersheds draining to St. Joe River	36
Table 17. Estimated sediment yield coefficients for forestland uses on the geology of the watersheds	38
Table 18. Estimated sediment export of watersheds draining to the St. Joe River	40
Table 19. Estimated background and sediment delivery of watersheds of the St. Joe River subbasin	42
Table 20. Results of the St. Joe River subbasin assessment based on application of the available data	44
Table 21. TMDL required for the St. Joe River subbasin and general specifications	45
Table 22. Fishhook Creek sediment load, background, and sediment loading capacity at the points of compliance	55
Table 23. Fishhook Creek sediment loading proportion based on road ownership	56
Table 24. Fishhook Creek sediment load allocation and load reduction	57
Table 25. Bear/Little Bear and Mica Creeks sediment load, background, and load capacity at the points of compliance	60
Table 26. Sediment loading proportion based on road ownership	61
Table 27. Sediment load allocation and load reduction required at the points of compliance on Bear/Little Bear, and Mica Creeks	63
Table 28. Average daily solar radiation incident on a stream related to canopy closure as developed for the Upper North Fork Clearwater River	67
Table 29. Points of compliance for the Bear, Little Bear, Blackjack, Fishhook, Harvey and Tank Creeks temperature TMDLs	67
Table 30. CWE calculated canopy cover required at stated elevations to maintain the 10°C MWMT and corresponding heat load capacity from insolation	69
Table 31. General canopy cover estimate guide for aerial photo interpretation	70

Table 32. Watershed temperature TMDLs – CWE calculated percent canopy cover a heat loading	
Table 33. Average daily solar radiation incident on a stream related to canopy closur as developed for the Upper North Fork Clearwater River	
Table 34. Points of compliance for the upper St. Joe River tributaries temperature TMDLs	92
Table 35. CWE calculated canopy cover required at stated elevations to maintain the $10^{\rm o}{\rm C}$ MWMT and corresponding heat load capacity from insolation	
Table 36. General canopy cover estimate guide for aerial photo interpretation	94
Table 37. Upper St. Joe River watershed temperature TMDLs – CWE calculated percent canopy cover and heat loading	97
Table 38. Canopy habitat limited reaches of the St. Joe River	132

List of Figures

Figure A. St. Joe River Subbasin Location and Listed Segments	xiii
Figure 1. St. Joe River Subbasin	5
Figure 2. St. Joe River Subbasin Showing Real Time and Stage Stream Gages	7
Figure 3. Land Use in the St. Joe River Subbasin	12
Figure 4. Roads and Road Crossings in the St. Joe River Subbasin	14
Figure 5. Annual Discharge Hydrograph of the St. Joe River at Calder Based on Five-Year Monthly Averages	20
Figure 6. Discharge Hydrograph of the St. Joe River at Calder During Winter 1995-1996	21
Figure 7. Stream Macroinvertebrate and Habitat Indices Scores at BURP Stations in the St. Joe River Subbasin	28
Figure 8. WBAGII Scores Versus Percent Above Background	53
Figure 9. Existing Shading Canopy: Lower St. Joe River Segments	82
Figure 10. Target Shade Canopy: Lower St. Joe River Segments	85
Figure 11. Existing Shading Canopy: Upper St. Joe River Segments	118
Figure 12. Target Shade Canopy: Upper St. Joe River Segments	125

List of Appendices

Appendix A. Unit Conversions Chart	153
Appendix B. Data and Data Sources	157
Appendix C. Sediment Model Assumptions and Documentation	221
Appendix D. Graphic Representation of Road Mileage	233
Appendix E. Distribution List	239
Appendix F. Public Comments	243

Abbreviations, Acronyms, and Symbols

303(d)	Refers to section 303 subsection (d) of the Clean	IDAPA	Refers to citations of Idaho administrative rules
	Water Act, or a list of impaired water bodies required by this	IDL	Idaho Department of Lands
	section	INFISH	The federal Inland Native Fish Strategy
μ	micro, one-one thousandth		Suaces
μg/L	micrograms per liter	KEA	Kootenai Environmental Alliance
§	Section (usually a section of federal or state rules or	L	liter
	statutes)	LA	load allocation
BURP	Beneficial Use Reconnaissance Program	LC	load capacity
C	Celsius	mg	milligram
CFR	Code of Federal Regulations	mi	mile
	(refers to citations in the federal administrative rules)	mi ²	square miles
cfs	cubic feet per second	mg/L	milligrams per liter
cm	centimeters	mL	milliliter
CWA	Clean Water Act	mm	millimeter
CWE	cumulative watershed effects	MOS	margin of safety
DEQ	Department of Environmental Quality	MWMT	maximum weekly maximum temperature
E. coli	Escherichia coli bacteria	NB	natural background
		NTU	nephlometric turbidity unit
EPA	United States Environmental Protection Agency	PCR	primary contact recreation
GIS	GIS Geographical Information RASI		Riffle Armor Stability Index
	Systems	RUSLE	Revised Universal Soil Loss Equation

SCR	secondary contact recreation	USFS	United States Forest Service
SFI	DEQ's stream fish index	USGS	United States Geological Survey
SHI	DEQ's stream habitat index		•
~		WAG	Watershed Advisory Group
SMI	DEQ's stream		
	macroinvertebrate index	WBAGII	Water Body Assessment
			Guidance, Version II
SS	salmonid spawning		
		WET	whole effluence toxicity
TMDL	total maximum daily load		
		WLA	waste load allocation
U.S.	United States		
		WQLS	water quality limited segment
USC	United States Code		1 ,
		WQS	water quality standard

Executive Summary

The federal Clean Water Act (CWA) requires that states and tribes restore and maintain the chemical, physical, and biological integrity of the nation's waters (33 USC § 1251.101). States and tribes, pursuant to Section 303 of the CWA are to adopt water quality standards necessary to protect fish, shellfish, and wildlife while providing for recreation in and on the waters whenever possible. Section 303(d) of the CWA establishes requirements for states and tribes to identify and prioritize water bodies that are water quality limited (i.e., water bodies that do not meet water quality standards). States and tribes must periodically publish a priority list of impaired waters, currently every two years. For waters identified on this list, states and tribes must develop a total maximum daily load (TMDL) for the pollutants, set at a level to achieve water quality standards. This document addresses the water bodies in the St. Joe River subbasin that have been placed on what is known as the "303(d) list."

This subbasin assessment and TMDL analysis has been developed to comply with Idaho's TMDL schedule. This assessment describes the physical, biological, and cultural setting; water quality status; pollutant sources; and recent pollution control actions in the St. Joe River subbasin located in the Idaho Panhandle. The first part of this document, the subbasin assessment, is an important first step in leading to the TMDL. The starting point for this assessment was Idaho's current 303(d) list of water quality limited water bodies. Seventeen segments of the St. Joe River subbasin were listed on this list. The subbasin assessment portion of this document examines the current status of 303(d) listed waters. It also defines the extent of impairment as well as causes of water quality limitation throughout the subbasin. The loading analysis quantifies pollutant sources and allocates responsibility for load reductions needed to return listed waters to a condition of meeting water quality standards.

Subbasin at a Glance

Hydrologic Unit Code	.17010304
Water Quality Limited Segments	17
Beneficial Uses Affected	.Cold water, salmonid spawning, primary and secondary contact recreation
Pollutants of Concern	Sediment, nutrients, bacteria, dissolved oxygen, temperature
Known Land Uses	Forestry, agriculture, recreation




Figure A. St. Joe River Subbasin Location and Listed Segments

Key Findings

The St. Joe River watershed remained in a relatively natural condition until the early twentieth century when miners, loggers, and ranchers began to settle in the area. The watershed has a history of timber harvest and some grazing, which, in recent years, has been restricted to the floodplain of the lower river. Seventeen streams of the subbasin are 303(d) listed for sediment, temperature, habitat alteration, nutrients, bacteria, and dissolved oxygen. Twelve of the seventeen listed segments are listed for temperature, eight segments are listed for sediment, five segments are listed for bacteria, three segments are listed for dissolved oxygen, and one segment each are listed for plant growth nutrients and habitat alteration. The sediment in the subbasin is primarily from road crossing and encroachment. Temperature can be most affected by stream shading. Nutrients and bacteria come mainly from livestock, while dissolved oxygen is affected by discharge of oxygen demanding materials that, in the St. Joe River subbasin, would come from livestock wastes. Impairment of cold water use was assessed using composite scores of fish, macroinvertebrate, and habitat indices. These scores generally indicate full support in most streams assessed in the subbasin, but they also indicate use impairment in some tributaries to the river. Fishhook, Bear, Blackjack, Bond, and Norton Creeks, and tributaries to Marble Creek have index scores below the threshold of full support. The St. Joe River itself was not listed nor was it found to be impaired in this assessment.

An assessment of temperature data indicates that all streams assessed exceed at least one of the temperature standards. Dissolved oxygen and bacteria were not found limiting in Blackjack, Harvey, or Tank Creeks, while bacteria were also not found to be limiting in Bear and Little Bear Creeks. These listings were likely made 15 years ago when grazing was practiced in these watersheds. Habitat alteration is not an effect that can be allocated in a TMDL. Nutrient data from Gold Creek remains to be assessed after control areas are monitored. Sediment yield monitoring indicates that Mica, Bear, and Fishhook Creeks are at sediment yield levels above that expected to cause water quality impairment, as are Hugus, Eagle, Boulder, and Lower Marble Creeks. The low pool volumes in the Marble Creek tributaries may be the result of splash dam log transport and the low index scores may be the result of temperature impairments. These issues require additional assessment. The assessment resulted in temperature TMDLs for all the segments listed for temperature (Table A). Sediment TMDLs were completed for Mica, Fishhook, and Bear Creeks (Table A). Recommendations for the delisting of streams and pollutants is provided in Table B.

Table A. Streams and pollutants for which TMDLs were developed.

Stream	Segment ID Number	Assessment Unit	1998 303(d) Boundaries	Pollutant(s)
Bear/Little Bear Creeks	7606/76 07	PN033_02	Headwaters to Toles Creek	Sediment/ Temperature
Beaver Creek	5619	PN025_02/ PN048_02	Headwaters to St. Joe River	Temperature
Blackjack Creek	7577	PN027_02	Headwaters to St. Joe River	Temperature
Bluff Creek	5022	PN045_02	Headwaters to St. Joe River	Temperature
Fishhook Creek	3608	PN039_04	Lick Creek to St. Joe River	Sediment/ Temperature
Fly Creek	2016	PN041_02	Headwaters to St. Joe River	Temperature
Gold Creek	3622	PN053_02	East Fork Gold Creek to St. Joe River	Temperature
Harvey Creek	7576	PN027_02	Lick Creek to St. Joe River	Temperature
Heller Creek	2017	PN041_02	Headwaters to St. Joe River	Temperature
Loop Creek	5620	PN060_02/03	Headwaters to St. Joe River	Temperature
Mica Creek	3601	PN030_03	Headwaters to St. Joe River	Sediment
Mosquito Creek	2020	PN046_02	Headwaters to St. Joe River	Temperature
Simmons Creek	2022	PN052_02/03	Headwaters to St. Joe River	Temperature
Tank Creek	7575	PN027_02	Headwaters to St. Joe River	Temperature

Table B. Summary of assessment outcomes.

Water Body Segment	Pollutant	TMDLs Completed/ Required	Recommended Changes to 303(d) List	Recommended Schedule Changes	Justification ¹
Bear/Little Bear Creeks	bacteria	0	delist for bacteria	none	bacteria monitoring results
Bear/Little Bear Creeks	sediment	1	none	none	N/A
Bear/Little Bear Creeks	temperature	1	none	none	N/A
Bird Creek	sediment	0	delist for sediment	none	WBAGII and sediment model results
Blackjack Creek	dissolved oxygen	0	delist for dissolved oxygen	none	dissolved oxygen monitoring results
Blackjack Creek	bacteria	0	delist for bacteria	none	bacteria monitoring results
Blackjack Creek	sediment	0	delist for sediment	none	SHI and sediment model results
Blackjack Creek	temperature	1	none	none	N/A
East Fork Bluff Creek	sediment	0	delist for sediment	none	WBAGII and sediment model results
Fishhook Creek	sediment	1	none	none	N/A
Fishhook Creek	temperature	1	none	none	N/A
Gold Creek	habitat alteration	0	none	none	TMDLs not developed for habitat alteration
Gold Creek	nutrients	0	delist for nutrients	none	nutrient monitoring results
Gold Creek	sediment	0	delist for sediment	none	WBAGII and sediment model results
Gold Creek	temperature	1	none	none	N/A
Harvey Creek	dissolved oxygen	0	delist for dissolved oxygen	none	dissolved oxygen monitoring results
Harvey Creek	bacteria	0	delist for bacteria	none	bacteria monitoring results
Harvey Creek	sediment	0	delist for sediment	none	WBAGII and sediment model results
Harvey Creek	temperature	1	none	none	N/A
Loop Creek	sediment	0	delist for sediment	none	SFI and sediment model results

Table B, continued.

Water Body Segment	Pollutant	TMDLs Completed/ Required	Recommended Changes to 303(d) List	Recommended Schedule Changes	Justification
Loop Creek	unknown	0	delist for unknown	none	no evidence of unknown pollutant found
Mica Creek	sediment	1	none	none	N/A
Tank Creek	dissolved oxygen	0	delist for dissolved oxygen	none	dissolved oxygen monitoring results
Tank Creek	bacteria	0	delist for bacteria	none	bacteria monitoring results
Tank Creek	sediment	0	delist for sediment	none	sediment model results
Tank Creek	temperature	1	none	none	N/A

¹WBAGII – *Water Body Assessment Guidance*, Version II; SFI – stream fish index; SHI – stream habitat index.